



MyWam

Indywidualnie I Kompleksowo

mouse

Operation and maintenance
manual

CE

Mouse – a modern stroller for the
youngest

1.	The Purpose of the Stroller Mouse	<u>3</u>
2.	Important safety rules and instruction	<u>3</u>
3.	Intention of the manual	<u>7</u>
4.	Construction of the stroller	<u>7</u>
5.	Accessories	<u>9</u>
6.	Anti-Corrosion Protection	<u>10</u>
7.	Reuse of the Stroller	<u>11</u>
8.	The manual	<u>11</u>
9.	The Usage of the Stroller	<u>24</u>
10.	Cleaning and Maintenance	<u>25</u>
11.	Periodical maintenance checks	<u>26</u>
12.	The Stroller's Technical Data	<u>28</u>
13.	Table of parameters	<u>29</u>
14.	Utilization and recycling	<u>29</u>
15.	Notes	<u>29</u>
16.	The Manufacturer	<u>30</u>
17.	Declaration of CE Manufacturer's Conformity	<u>31</u>
18.	Warranty Card	<u>32</u>



CAUTION! Before the stroller is used, the user is obliged to read the instructions carefully and follow them closely

1. The Purpose of the Stroller Mouse

The specialistic Stroller Mouse was designed for children who suffer from neurological and orthopedic problems, which make it hard or impossible for them to move independently. The stroller is equipped with adjustments which make it possible to safely and comfortably adapt it to the child's individual needs.

The stroller Mouse is for users who are 70-110 cm high and weigh up to 35 kg.

Statistically, children from the age of 2 to 6 fit these specifications.

While choosing the stroller it is most important, however, to consider the individual physical features of the child as well as his/her disability.

Follow the instructions of the specialist while using the stroller.

The risk associated with the use of the stroller was described in detail in point 2: "Important Safety Rules."

1.1. The Range of the Stroller's Use

The stroller is suitable for use both inside (house, apartments and health centres) and outside on hard and smooth surfaces.

2. Important Safety Rules

- 2.1. **CAUTION!** Before you use the stroller, make sure that it has been assembled properly, and all the mechanisms, fixing elements and fastenings have been carefully assembled, locked and prepared for use. Pay particular attention to the frame folding mechanism as well as backrest assembly and proper installation of all four wheels.
- 2.2. **CAUTION!** Never leave your child unattended in the stroller
- 2.3. **CAUTION!** Failure to follow the instructions, particularly those concerning the movable parts of the stroller may be dangerous for the user. Always read the manual before using the stroller.
- 2.4. **CAUTION!** To avoid injuries, keep your child in a safe distance from the stroller while folding or unfolding the product.
- 2.5. **CAUTION!** Always use restraint systems for the carried children. These include: five-point belts, wedge, groin straps, chest and loin pads, head supports, footrest, footrest straps, safety barrier or tray.
- 2.6. **CAUTION!** The stroller must be completely assembled before use. In case of any problems at this point, please contact the Seller and Manufacturer.
- 2.7. **CAUTION!** The product is not suitable for running or skating.
- 2.8. The stroller should be cleaned and maintained regularly. No abrasive materials should be used for cleaning.
- 2.9. The product contains small parts, which may be dangerous if swallowed by children.

- 2.10. DO NOT use the stroller if it was damaged or if you suspect it was damaged or if it does not work properly. Contact the Seller and Manufacturer promptly to get advice.
- 2.11. Make sure you use only the original stroller accessories.
- 2.12. The brake must be locked while taking the child in and out of the stroller.
- 2.13. All additional bags or parcels may influence the stroller's stability.
- 2.14. All adjustments should be performed under the supervision and care of a doctor or a physical therapist.
- 2.15. Only the spare parts provided or approved by the Manufacturer can be used in the stroller.
- 2.16. Any repairs which are not performed by the authorised Manufacturer's service team, result in the loss of warranty. The Manufacturer is not responsible for any bodily injuries or product damages resulting from the repairs performed by persons other than the authorised Manufacturer's service team.
- 2.17. The manufacturer is responsible for the proper functioning of the stroller only if the stroller was bought in a specialist medical store



2.18. **CAUTION!** Before the stroller is used, the user is obliged to read the instructions carefully and follow them closely.

2.19. Before each use:

- 2.19.1. Check the stroller for any visible signs of damage or other defects that may put your child in danger.
- 2.19.2. Check for the appropriate wheel pressure.
- 2.19.3. Check if the break works properly.
- 2.19.4. Check for the condition of tire treads.
- 2.19.5. Check if the wheels have been assembled properly.
- 2.19.6. Check if the stroller's frame has been folded properly. The frame should be locked securely.
- 2.19.7. Check if the seat has been assembled properly and attached to the stroller's frame.
- 2.19.8. Adjust the stroller's accessories and equipment to the size and needs of the child, e.g., adjust the angle of the seat, the backrest and the footrest, as well as the length of the 5-point belt.
- 2.19.9. After placing your child in the stroller, mount the safety barrier .
- 2.19.10. Secure your child using all the available restraint systems such as: 5-point belts, wedge, chest pads, head supports, footrest, safety barrier. Their aim is to prevent your child from falling or sliding out of the

stroller. They are also to prevent your child's feet from sliding off the footrest.

- 2.20. The stroller CANNOT be used for a purpose other than intended.
- 2.21. Never leave your child unattended in the stroller, especially on a hilly surface.
- 2.22. Never use the stroller while ascending or descending stairs, no matter if the child is in or out of the stroller.
- 2.23. Neither the child or any other person is allowed to stand on the footrest while getting in or out of the stroller.
- 2.24. It is not allowed to carry a child in the stroller while using any form of transportation such as a car, a bus or a train.
- 2.25. Do not use the stroller's seat as a car seat.
- 2.26. 2.27. The stroller's brake must be locked while taking the child in and out of the stroller.
- 2.27. The maximum weight for the bag placed on the handle bar is 2 kg.
- 2.28. Make sure your child's limbs do not get in the wheel spokes or other parts of the stroller while using it.
- 2.29. Be especially careful while using the stroller on an uneven or hilly surface, as its center of gravity is likely to shift.
- 2.30. While transporting the stroller e.g., by car, by bus or train, the child MUST be removed from the stroller. The stroller needs to be adequately protected from damage during transportation. The Manufacturer CANNOT be held responsible for any damage resulting from improper protection of the stroller during transport.
- 2.31. Never leave your child in the stroller while lifting it or carrying it.
- 2.32. While lifting and carrying the stroller, you need to hold it by the frame or other fixed elements. When folded, the stroller has a special handle that enables easy lifting and carrying. Hold the seat exclusively by the fixed elements of the stroller.
- 2.33. The child's maximum allowed weight is 30 kg. The maximum weight of the storage bag is 2 kg. The maximum load for the anti-slip therapeutic tray is 3 kg. The maximum load for the shopping basket is 3 kg.



2.34. **CAUTION!** Both prior to and during use of the stroller, read the manual instructions and safety rules carefully and follow them closely.



2.35. **CAUTION!** You need to exert **CAUTION** when using, maintaining or folding the stroller due to the fact that the dimensions of the fixed and moveable slots and holes may pose some danger.



2.36. **CAUTION!** The upholstery must be dry while using the stroller



2.37. CAUTION! The Manufacturer is ONLY responsible for the defects and technical damage resulting from the use of the stroller that is in strict compliance with the instructions and safety rules specified in this manual.



2.38. CAUTION! When reclining the seat, you need to adjust the length of the 5-point belt each time.



2.39. CAUTION! Never leave your child in the stroller while making any alterations, modifications or adjustments. Failing to follow this instruction may result in serious danger to the child or others.



2.40. CAUTION! When reclining the seat, the stroller's center of gravity shifts, which may result in instability

There is a risk of confining and/or squeezing the user of the stroller or the accompanying person while using or adjusting the stroller. You need to adjust the stroller with utmost care. After adjusting the stroller, you need to stabilize the stroller by carefully tightening the knobs/screws. When adjusting the stroller, the child must be removed from the stroller!

3. Intention of the manual

The manual contains basic information about the proper use of the Mouse stroller, its assembly, maintenance and cleaning and warranty conditions.

Please keep the manual in an easily accessible place. The manual is intended for the caregivers of special needs children, as well as the doctors and physical therapists who will use the stroller.

IMPORTANT! Keep the manual for future reference.

4. Construction of the stroller

4.1. General Parts List




Fig.. 4.1.

4.2. The steal frame (Fig.4.1.) with aluminium elements includes:

- 4.2.1. Adjustable, ergonomic handlebar (Fig.4.1.-nr 2)
- 4.2.2. Front swivel wheels (Fig.4.1.-nr12)
- 4.2.3. Front wheel direction lock (Fig.4.1.-nr15)
- 4.2.4. Front wheel fork shock absorption system (Fig.4.1.-nr14)
- 4.2.5. Front wheel folding system (Fig.4.1.-nr13)
- 4.2.6. Rear wheels (Fig.4.1.-nr 8)
- 4.2.7. 2-step rear wheel shock absorption system (Fig.4.1.-nr24)
- 4.2.8. Rear wheel folding (Fig.4.1.-nr23)
- 4.2.9. Central brake (Fig.4.1.-nr 9)
- 4.2.10. Shopping basket (Fig.4.1.-nr11)
- 4.2.11. hooks fixing seat to frame (Fig.4.1.-nr 6)
- 4.2.12. Transport lock (Fig.4.1.-nr 3)
- 4.2.13. Frame folding mechanism (upper and lower) (Fig.4.1.-nr 4)

4.3.1. Reclining seat includes:

- 4.3.2. The seat is made of synthetic material
- 4.3.3. Side pad / reducer (Fig.4.1.-nr18)
- 4.3.4. Adjustable backrest (Fig.4.1.-nr5)
- 4.3.5. Safety barrier fixing (Fig.4.1.-nr7)
- 4.3.6. Safety barrier (Fig.4.1.-nr19)
- 4.3.7. 5-point safety belts (Fig.4.1.-nr20)
- 4.3.8. Wedge (Fig.4.1.-nr17)
- 4.3.9. Adjustable head pads (Fig.4.1.-nr21)
- 4.3.10. Adjustable canopy with window (Fig.4.1.-nr1)
- 4.3.11. Adjustable and folding footrest (Fig.4.1.-nr16)
- 4.3.12. footrest extension (Fig.4.1.-nr22)
- 4.3.13. Optional inclination bar (Fig.4.1.-nr10)

5. Accessories

Mouse stroller offers a wide range of accessories.

5.1. The standard accessories on the stroller's frame include:



Figure 5.1.1.
The central brake



Figure 5.1.2
Shopping basket
(Fastened under the seat)

5.2. The standard seat accessories include



Figure 5.2.1.
Safety barrier



Figure 5.2.2
5-points safty belt



Figure 5.2.3.
Wedge



Figure 5.2.4.
Head pads with adjustment



Figure 5.2.5.
Adjustable canopy with window



Figure 5.2.6.
Adjustable and folding footrest



Figure 5.2.7
Side pads- reducer

6. **Anti-corrosion Protection**

In order to avoid damage resulting from corrosion, the stroller shouldn't be used or kept in wet or damp spaces. If the stroller has been soaked in water, it needs to be dried with a soft cloth and treated by a preservative that has light oil basis. The stroller is made with high quality shell.

If the enamel has been damaged, you need to protect it with the lacquer recommended by our firm. Regular cleaning and maintenance using light oil ensures long and hassle-free use of the stroller.

7. The Reuse of the stroller

The product is suitable for reuse. All products that are reused may change their usability due to change in their specifications and performance characteristics and, therefore, need to be checked for efficacy. The safety of the persons using the stroller as well as the accompanying people may be endangered in such circumstances. When maintained properly, the product keeps its quality for about three years. To reuse the stroller you need to dismantle all upholstered parts and exchange them for the new ones.

The stroller's frame, the wheels and the handles need to be cleaned and disinfected with available cleaning agents. The stroller needs to be subsequently examined by an authorized specialist as to wear and tear as well as damage.

All parts that are mismatched or unsuitable for use need to be replaced.

Only then the stroller can be reused.

The maintenance plan and information about the parts and tools are contained in part 11: "The periodical maintenance."

8. The manual

8.1. Stroller assembly

8.1.1. Unfolding the stroller's frame

To unfold the stroller, release the transport lock and pull up the handle bar until you hear a "click". It may be necessary to push down the 'expanding' points behind the backrest and the footrest until they are blocked.



Figure 8.1.1.a.



Figure 8.1.1.b.

8.1.2. Front wheel assembly.

To attach the wheels, insert the wheel axle into the folding system slot until you hear a 'click'. The audible clicking sound is the indication that the assembly has been done properly.

8.1.3. Rear wheel assembly

To attach the rear wheels, press the button in the middle of the wheels. Attach both wheels, by inserting the wheel axles into the folding system slot. You need to hear the 'click'.



Figure 8.1.2.



Figure 8.1.3.

8.1.4. Seat assembly

The seat can face the front or the back. For assembly the seat, put 4 male hooks of the seat into 4 female hooks of the frame (Fig. 8.1.4) . Press until you hear a 'click' twice, from left and right side.



Figure 8.1.4.

8.2. Dismantling the stroller

8.2.1. Dismantling the seat

To dismantle the seat, press two colorful buttons situated on the lower part of the stroller's frame hooks. Next, eject the seat from the all 4 frame hooks (Fig. 8.1.4).



Figure 8.2.1.

8.2.2. Dismantling the rear wheels

To dismantle the rear wheel, press the button in the middle of the wheel and eject it from the rear wheel folding system slots. Repeat action for second wheel.

8.2.3. Dismantling the front wheels

Press the button on the front wheel folding system and eject the wheel axle from the front wheel folding system slot. Repeat action for second wheel.



Figure 8.2.2.



Figure 8.2.3.

8.2.4.1. Folding the bottom part of the frame

To fold the stroller's frame, pull up both handles of the bottom frame folding mechanism. Next, fold the stroller's frame and lock the transport block



Figure 8.2.4.1

8.2.4.2. The folding of the upper part of the frame

To fold the stroller's frame, press the red button on the frame folding mechanism and simultaneously pull up both handles situated on the upper part of the frame folding mechanism. Fold the stroller's frame and lock the transport lock.



Figure 8.2.4.2

8.3. Adjustable, ergonomic handlebar

To change the handle bar's angle, simultaneously press the two buttons situated on each side of the handle bar. After the angle has been adjusted, release the buttons, and the handle bar will stay in this position.



Figure 8.3.

8.4. Front wheel direction lock

To block the front wheels, turn the lock knob left. Turn the lock knob right, to unlock.



Figure 8.4.

8.5. Front wheel forks shock absorption system

The stroller is equipped with the front wheel absorption system that works automatically. It should not be adjusted.



Figure 8.5.

8.6. Two-step rear wheel shock absorption system

The stroller is equipped with two types of shock absorption system: spring and strut. In order to change the type of shock absorber, rotate the rear wheel shock absorption lever at 180 degrees forward or backward. The lever on both wheels should be adjusted the same way.



Figure 8.6.

8.7. The central brake and optional inclination bar

To switch the brake on, press the brake pedal down.

To switch the brake off, pull the brake pedal up. *Fig. 8.7.1.*

To lift the front wheels, simultaneously press the inclination bar and pull the handlebar towards you in the same time. *Fig. 8.7.2.*




Figure 8.7.1



Figure 8.7.2

8.8. Shopping basket (fastened under the seat)

The stroller is equipped with a shopping basket that is fastened to the lower part of the frame. The basket can hold small, every-day items that are resistant to shaking, hitting, breaking, wetting, flooding and dirt. The maximum load that the basket can hold is 5 kg.



Figure 8.8.

8.9. The frame hooks

The four frame hooks, two left and two right, that are attached to the seat are very important parts of the stroller. They serve the purpose of attaching the seat to the stroller's frame. The proper use of the hooks is essential for the safety of the child as well as that of other people.

The detailed description of the proper use of the hooks are found in point 8.1 and 8.2 **Make sure there aren't any cracks and damage in the stroller's frame. Also, check if it works properly. Do not use the stroller in case of any suspicion as to the proper operation of the stroller. Keep the safety of your child in mind at all times.**

During adjustment, make sure that all 4 hooks are properly mounted !



Figure 8.9.

8.10. The transport lock.

The stroller is equipped with the transport lock that prevents the frame from unfolding on its own during travel. You need to put the transport lock on after folding the frame and take it off before unfolding it. Do not unfold the stroller's frame when the lock is on as you can break it.

8.11. The transport handle

The transport handle is located under the shopping basket.



Figure 8.10.



Figure 8.11.

8.12. The frame folding mechanism

The four frame folding mechanisms are very important elements of the stroller. They consist of two bottom mechanisms (big handles) and two top mechanisms (smaller handles and the red button). Points 8.1. and 8.2. contain the exact description. Make sure there aren't any cracks and damage in the stroller's frame. Also, check if it works properly.

Do not use the stroller in case of any suspicion as to the proper operation of the stroller. Keep the safety of your child in mind at all times.



Figure 8.12

8.13. Adjustable seat

The stroller has a seat that can be adjusted to four different positions including a bassinet position. To change the position, pull back the steel handle at the back of the seat and slowly change the position of the seat.

After securing the desired position, let go of the handle.

Caution! Each change of the seat position alters the general center of gravity, which impacts the stability of the stroller.

Caution! Never leave your child in the stroller while making adjustments! It can put your child in danger.



Figure 8.13

8.14. Adjustable backrest

The stroller's backrest can be adjusted to various positions varying from a seating position to a lying position. To change the position, move the backrest towards a seating position first. Then, pull the handle located at the back of the backrest and change the position slowly. After reaching the desired position, pull the handle down.

Caution! Each change of the backrest position requires an adjustment of the 5-point belts.

Caution! Never leave your child in the stroller while making adjustments! It can put your child in danger.



Figure 8.14

8.15. Attaching safety barrier

The attachment tubes are situated at the sides of the seat. They serve the purpose of attaching the tray or the safety barrier to the seat.



Figure 8.15

8.16. Safety barrier

Slide the safety barrier into the attachment tubes and listen for the 'click'. The clearly audible 'click' is an indication that the safety barrier has been securely attached to the seat. To take the safety barrier out, press the two buttons on the attachment tube and slide the tray out.



Figure 8.16.

8.17. 5-point belts

To fasten the belts, put the straps on the right and left side of your child. Insert both straps into the strap clamp. To adjust the length of the strap, pull the strap ends up or down.

Caution! Each change of the backrest position requires an adjustment of the 5-point belts.

Caution! Never leave your child in the stroller while making adjustments! It can put your child in danger.



Figure 8.17.1



Figure 8.17.2

8.18. Wedge

The wedge should be placed between the child's legs.



Figure 8.18.

8.19. Adjustable head pads - ↔ and ↕

To adjust the head pads, draw aside the seat upholstery on the front and back of the seat. Next, take off the head support knobs, which are situated on the back of the seat and adjust the head pads at the front of the seat. That accomplished, screw the knobs back in the appropriate place at the back of the seat. Finally, draw the upholstery at front and back of the seat.



Figure 8.19.1



Figure 8.19.2

8.20. Adjustable canopy with a peek-a-boo window

To fold and unfold the canopy, pull it in the appropriate direction and adjust its position. The window opens with a zipper.



Figure 8.20.

8.21. Adjustable footrest

In order to change the inclination of the footrest, press the buttons marked on the picture on both sides of the footrest, then set the appropriate position and release the buttons.

In order to change the height of the footrest, unscrew the bolts fixing the footrest and pull the footrest from the angle controllers. In place of the footrest, 2 tubes should be installed and bolts tightened. The footrest should be inserted into the tube so that an additional 3 heights of the footrest are obtained. The footrest is equipped with straps that fasten the child's feet. It is recommended to put them on while using the stroller.



Figure 8.21.1



Figure 8.21.2

8.22. Side inserts - reducer

The stroller is equipped with an upholstered insert for the smallest children, which reduces the dimensions of the seat (width and depth). The insert consists of one element that attaches itself to the sides of the seat and with the backrest with Velcro.



Figure8.22.

9. The Usage of the Stroller

9.1. How to prepare a child / patient / stroller's user

9.1.1. Make sure that the child wears comfortable footwear that stabilizes the ankle joint.

9.1.2. To prevent abrasions and because of hygienic reasons, make sure the child wears clothes so that the skin does not touch the upholstery.

9.1.3. In case hep locks, drains, bags, catheters etc. are used, make sure they do not hinder the operation of the stroller and they do not fall out, tear out or tighten.

9.2. Use manual

9.2.1 Before you use the stroller you need to do each of the following:

9.2.1.1. Check the stroller and all its parts for good technical condition.

Caution! Do not use the stroller if its technical condition is questionable or in case you have doubts as to its condition. Keep the safety of your child as well as other people's in mind at all times.

9.2.1.2. Place the stroller on a smooth and safe surface and assemble it properly. Use the instruction manual.

9.2.1.3. Adjust all parts of the stroller including the seat, the backrest, the head support, the pads, the footrest, the handlebar, the canopy and adjust the length of five-point belts and rear wheel shock absorption system.

9.2.1.4 Assemble the safety barrier and the anti-slip therapeutic tray.

9.2.1.5. Prepare the five-point belts, the groin straps and the footrest for assembly.

9.2.1.6. Switch the central brake on.

9.2.1.7. Place the child in the stroller and ensure that all previously made adjustments are correct and safe.

9.2.1.8. Fasten the five-point belts and the footrest straps on your child.

9.2.1.9. Attach the handlebar, the footrest and other necessary elements.

9.2.2. If the child wets himself/herself, put a special waterproof pad on the seat. The pad can be purchased in pharmacies or medical stores.

9.2.3. Never let the stroller roll on its own, always use the handlebar.

9.2.4. When riding on slopes or ramps, always assume the forward-facing position of the stroller.

9.2.5. When overcoming small obstacles (small thresholds, small curbs, etc.), first you should blocked the rear part of the frame around the brake pedal by your foot and then pull the handle bar to lift the front wheels of the stroller and carefully drive over the obstacle. Then, pull the handle bar up, lift the rear wheels and place them on the surface.

10. **Cleaning and maintenance**

10.1. Small spills and stains can be removed with a kitchen sponge and clean, warm water.

10.2. Stains should be removed immediately.

10.3. Do not wipe or rub the surface. Rubbing will result in the spreading of the stain and can destroy the surface of the fabric.

10.4. If water, food, beverages or plant oil have stained the fabric, do the following:

10.4.1. Dry the stain by placing a white paper towel, a tissue, or a clean absorbent cloth on the entire surface of the stain.

10.4.2. Spot clean the stains only: moisten a small piece of cloth with a diluted detergent and warm water (in case of blood stains, use cold water instead), and remove the stain moving from the outer edge of the stain towards the center to prevent spreading. Do not soak the stain with water, as it may cause rime after drying. Excessive wetness may also enlarge the stain or destroy the foam inside the upholstery.

10.4.3. You may have to repeat the above actions (10.4.2.) until the stain is completely removed. Remember to always remove the excess moisture (10.4.1.) before each subsequent wiping.

10.4.4. Finally, rinse the stain using a clean sponge or cloth soaked with lukewarm water. Do not use detergent at this point. Wipe from the outside of the stain to the center.

10.5. Disinfectants that do not contain organic solvents can be used in accordance with the specifications given by the product manufacturer.

10.6. Do not submerge the fabric.

10.7. Do not use organic solvent or dry-cleaning detergents.

10.8. To disinfect the surface, use common, every-day bleach diluted in water (maximum bleach concentration should be 3%).

10.9. Make sure the product is dry before you use it.

10.10. The stroller should be kept in a clean, dry, well-ventilated room.

10.11. **Caution!** The manufacturer is not held responsible for the damage resulting from using inappropriate cleaning products.

11. Periodical maintenance checks.

In order to use the stroller without failure, you need to regularly check it and service it.

If the user of the stroller cannot service it himself/herself, the stroller should be serviced at the technical service point or from the manufacturer, who is obliged to check it and service it. There may be charge for the aforementioned service. All repairs must be done at technical service points using original spare parts

The periodical service:

WHEN?	WHAT?	REMARK
Before starting out		
	Test brakes for faultless operation	Activate brake pedal(-s) to the limit. The locked wheels can not be able to turn under operating conditions
	Check all construction's elements	Wheels, frame, seat, 5 point belts, footrest, safety barrier
	Check air pressure of the tyre and tyre's profil	For this use an air pressure gauge. Carry out visual check yourself.
	Check the back tubes and frame tubes for firmness	If deformations or cracks occur in the welding seams, contact an specialist workshop immediately for repairs
Every 1 month		
	Lubricate the following components with a few drops of oil – Moving parts of the locking mechanism	Components must be free from used oil residues before lubrication
	Check all screw connections for secure fit	Yourself or with the aid of a helper
Every 6 months		
	Cleanness	Yourself or with the aid of a helper
	General condition	-Yourself or with the aid of a helper

12. The Stroller's Technical Data

PARAMETER	MOUSE
Lengh	110 cm
Width	59,5 cm
Height	122 cm
The seat's width	24 (with reducer) cm & 30 cm
The seat's depth	22 (with reducer) cm & 25 cm
The backrest's height	52,5 cm
The distance of the footrest from the seat	14-21,5 cm, 1 point for every 2,5 cm, max 32cm
The seat's inclination	10, 15, 20 degrees
The angle between the seat and the backrest	95, 115, 135, 155 degrees,
The size of the front/rear wheels	25cmx5cm/30cmx6cm

12.1. Material list

Dry-sprayed steel and aluminum

Fabric: 100% polyester

Man-made materials: PP,PCV, ABS, PA, PE, PU

12.2. Weight and dimensions

Stroller	Width	Height	Lengh	Weight
Unfolded with accesories	59,5 cm	122 cm	110 cm	19 kg
Folded and packaged	64 cm	86 cm	48 cm	22 kg

Table: Weight and dimensions

13. Table of parameters

Child's maximum weight	30 kg
Child's maximum chest width	30 cm
Minimum and maximum lower leg length	14 & 32 cm
Minimum thigh length	22 cm
Child's maximum height	110 cm

Table: Child's parameters

14. Utilization and recycling

The used stroller needs to be dropped off at a recycling centre following the rules that are in force in a given country.

15. Notes

16. The Manufacturer

MyWam Kupiec, Bartold, Angres Spółka Jawna
ul. Szczecińska 10, 41-516 Chorzów, Polska


phone number: +48 32 733 11 31

website: www.mywam.eu

e-mail: mywam@mywam.pl

The Mouse stroller is a Polish product! Polish quality, polish price!

The authorized dealer:



MyWam sp.j reserves the right to introduce technical and commercial changes to the content of the Operation and maintenance manual without prior notice. Any change shall be considered as the date of latest revision.

Last modifications: August 2019

17. Declaration of CE Manufacturer's Conformity



MYWAM Kupiec, Bartold, Angres spółka jawna
 ul. Szczecińska 10, 41-516 Chorzów, Polska
 tel. 0048 32 733 11 31
mywam@mywam.pl



DEKLARACJA ZGODNOŚCI WE

EC DECLARATION OF CONFORMITY

Wytwórca: <i>Manufacturer:</i>	MYWAM Kupiec, Bartold, Angres spółka jawna ul. Szczecińska 10, 41-516 Chorzów, Poland
Produkt: <i>Product:</i>	Wózek inwalidzki specjalny Mouse The Specialist Stroller Mouse

Deklaruję z pełną odpowiedzialnością, że wózek inwalidzki specjalny **Mouse**, będący wyrobem medycznym klasy I, jest zgodny z wymaganiami dyrektywy Rady Europy o wyrobach medycznych - 93/42/EEC z 14 czerwca 1993 roku zmienionej przez 2007/47/EEC z 21 marca 2010 roku, przyjętej w Polsce na mocy ustawy o wyrobach medycznych z dnia 20 maja 2010 r. (Dz. U. nr 107, poz. 679), oraz zgodny z normami zharmonizowanymi:

I solely declare that the specialist Stroller Mouse is a class I device, and it is in conformity with the requirements of EU Council Directive for Medical Devices 93/42/EEC of 14 June 1993 amended by 2007/47/EEC of 21 March 2010, implemented in Poland under the Medical Devices Act of 20 May 2010 (Dz. U. nr 107, poz. 679), and is in conformity with harmonized standards:

PN-EN 12183:2014	PN-EN 12182:2012	PN-ISO 7176 part B	ISO 7176 part 1,3,5,7
PN-EN 1021-1:2007	PN-EN 980:2010	PN-EN 1041:2010	PN-EN ISO 14971:2011



Chorzów, 16 07 2018r./16 July 2018

Data/Date



Wejciech Bartold

Wejciech Bartold
 Pełnomocnik

Pełnomocnik



MYWAM

Kupiec, Bartold, Angres Spółka Jawna
 ul. Szczecińska 10, 41-516 Chorzów, ul. Szczecińska 10
www.mywam.pl

tel. 32/733 11 31, mail: mywam@mywam.pl

NIP: 627 375 61 93, Regon: 143438050

skrz. elektroniczna PPK1





18. Warranty card

Series and number: 

date of purchase:

stamp and signature of the Seller:



Warranty terms and conditions

1. The manufacturer grants the purchaser a guarantee for a period of 24 months from the date of purchase. Any repairs needed within the 24-month period will be performed free of charge.
2. To make a complaint about the product, the purchaser should bring the stroller to the seller or manufacturer in its original packaging together with the properly protected parts.
3. Damages caused by insufficient securing of the stroller and its elements during transport are not subject to warranty repairs. The person filing a complaint cannot make claims under the warranty for damage that has been caused by inappropriate labeling or inadequate insurance.
4. The purchaser will be responsible for all costs associated with shipping.
5. The warranty period will be extended by the time needed to make repairs.
6. This warranty excludes any liability other than that expressly stated previously.
7. The purchaser can exchange the stroller if:
 - 9.1. The same defects exist after the stroller has been submitted for repairs twice and the purchaser cannot use the stroller.
8. The purchaser must use the stroller according to its intended use and strictly following the above instructions.
9. This warranty is void if the purchaser failed to use the stroller according to its intended or appropriate use, or if s/he didn't follow the instructions.
10. This warranty is void if the purchaser made repairs or modified the product.
11. This warranty is void if the product has been damaged as a result of misuse, inappropriate maintenance, inappropriate storage, mechanical damage or regular wear and tear.
12. This warranty is void if a third party has carried out repairs or modifications. It is not advisable to have the stroller repaired by an unauthorized company.
13. The warranty card is valid if it contains the date of purchase confirmed by the Seller's stamp and signature as well as the type and serial number of the stroller.
14. The warranty card is void if it contains corrections or has been crossed out.
15. The Manufacturer offers paid, post-warranty service.
16. Any matters that have not been mentioned in the warranty card are governed by the provisions of the Civil Code.
17. All complaints should be directed to the Seller or the Manufacturer.